WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Wednesday, June 13, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L13	L12 not l10	99
☐	L12	(feedthrough near2 (pin or assembly)) same (insulator or insulat$4) same (electrode or anode or cathode)	256
☐	L11	L10 not l9	44
☐	L10	L8 same (electrode or anode or cathode)	157
☐	L9	L8 with (electrode or anode or cathode)	113
☐	L8	(insulator or insulat$4) with (feedthrough near2 (pin or assembly))	391
☐	L7	(insulator or insulat$4) with(feedthrough near2 (pin or assembly))	391
☐	L6	L5 not l3	69
☐	L5	((electrode or cathode or anode) near2 (tab or lug or projection)) same (feedthrough near2 (pin or assembly))	96
☐	L4	((electrode or cathode or anode) near2 (tab or lug or projection)) with (feedthrough near2 (pin or assembly))	90
☐	L3	(feedthrough near2 (pin or assembly)) and headspace and ((electrode or cathode or anode) near2 (tab or lug or projection))	33
☐	L2	(feedthrough near2 (pin or assembly)) same headspace same ((electrode or cathode or anode) near2 (tab or lug or projection))	13
☐	L1	(feedthrough near2 (pin or assembly)) with headspace with ((electrode or cathode or anode) near2 (tab or lug or projection))	12

END OF SEARCH HISTORY

Refine Search

Search Results -

Term	Documents
(12 NOT 10).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	99
(L12 NOT L10).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	99

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L13

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Wednesday, June 13, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L13	L12 not l10	99	L13
L12	(feedthrough near2 (pin or assembly)) same (insulator or insulat$4) same (electrode or anode or cathode)	256	L12
L11	L10 not l9	44	L11
L10	L8 same (electrode or anode or cathode)	157	L10
L9	L8 with (electrode or anode or cathode)	113	L9
L8	(insulator or insulat$4) with (feedthrough near2 (pin or assembly))	391	L8
L7	(insulator or insulat$4) with(feedthrough near2 (pin or assembly))	391	L7
L6	L5 not l3	69	L6
L5	((electrode or cathode or anode) near2 (tab or lug or projection)) same (feedthrough near2 (pin or assembly))	96	L5
	((electrode or cathode or anode) near2 (tab or lug or projection)) with		

L4	(feedthrough near2 (pin or assembly))	90	L4
L3	(feedthrough near2 (pin or assembly)) and headspace and ((electrode or cathode or anode) near2 (tab or lug or projection))	33	L3
L2	(feedthrough near2 (pin or assembly)) same headspace same ((electrode or cathode or anode) near2 (tab or lug or projection))	13	L2
L1	(feedthrough near2 (pin or assembly)) with headspace with ((electrode or cathode or anode) near2 (tab or lug or projection))	12	L1

END OF SEARCH HISTORY